


# ActiveHEPA+

WITH ODOGard®



Active HEPA+ Pro

Active HEPA+ Room

## A Unique Fusion of Active and Passive Air Purification Technologies.

**A completely new way to eliminate odors while purifying.**

Active HEPA+ with ODOGard® are the only purifiers to combine both active and passive air purification technologies with the odor-eliminating power of ODOGard. In addition to reducing volatile organic compounds (VOCs), allergens such as pollen and pet dander, and odors caused by mold, bacteria and other pollutants, they have been proven to inactivate 99.98% of SARS-CoV-2, the virus that causes COVID-19, from the air.\*

\* Laboratory tests prove to inactivate over 99.98% of SARS-CoV-2 in the air within 10 air exchanges in a controlled environment.

# We measure success in microns.



ACTIVE & PASSIVE AIR PURIFICATION



REDUCES INDOOR ODORS



CONTINUOUSLY CLEANS



REMOVES AIRBORNE POLLUTANTS

## A brand-new standard in air purification.

### 1 BIPOLAR IONIZATION


Ionization brushes create a plasma of negative and positive charges to remove particles from your breathing space.

### 2 PHOTOCATALYTIC OXIDATION

Using a broad-spectrum UV light and moisture in the air, active oxidation products are created to seek out and inactivate pathogens at the source.

### 3 HEPA FILTER WITH ODOGARD® COATING

Traps and destroys odors along with allergens and other particulates. Active HEPA+ ODOGard® is the only air purifier on the market that uses proprietary ODOGard technology to quickly and permanently eliminate odors by bonding to odor molecules.



<b>Room</b> MODEL: 1X5825 UPC: 817556020877	150 CADR	375 SQUARE FT*	99.98% SARS-CoV-2 REDUCTION	≥0.25 MICRONS	10.6" x 10.6" x 17.5" UNIT DIMENSIONS	11.5 lb UNIT WEIGHT	12.2" x 12.2" x 19.2" BOX DIMENSIONS	1,295 Units 40' HQ QTY	48 Units PALLET QTY
<b>Pro</b> MODEL: 1X5826 UPC: 817556020884	300 CADR	750 SQUARE FT*	99.98% SARS-CoV-2 REDUCTION	≥0.25 MICRONS	11.3" x 11.3" x 24.0" UNIT DIMENSIONS	14.5 lb UNIT WEIGHT	13" x 13" x 25.8" BOX DIMENSIONS	875 Units 40' HQ QTY	30 Units PALLET QTY

\*Based on 8' ceiling height and 3 air exchanges. Advanced active technologies extend purification benefits. Actual coverage area may be greater.



## Greentech Connect App for Mobile Control Included

Greentech Connect gives you control of your Greentech products from anywhere. Set ideal purification levels, put in NIGHT MODE, or get up-to-date information such as current settings, air quality reading, room temperature and humidity, component lifetime and more.



# A brand-new standard in air purification.



SEEKS, CAPTURES AND



**deactivates  
indoor  
pathogens.**

WELCOME BACK.

**ActiveHEPA**   
WITH ODOGARD®

Active HEPA+ with ODOGard® is the only purifier to combine both active and passive air purification technologies with the odor-eliminating power of ODOGard. In addition to reducing volatile organic compounds (VOCs), allergens such as pollen and pet dander, and odors caused by mold, bacteria and other pollutants, it has proven to deactivate 99.98% of SARS-CoV-2 from the air.\*

## CHANGE IS IN THE AIR.

\* Laboratory tests prove to inactivate over 99.98% of SARS-CoV-2 in the air within 10 air exchanges in a controlled environment.

# We measure success in microns.



ACTIVE & PASSIVE AIR PURIFICATION



REMOVES AIRBORNE POLLUTANTS



CONTINUOUSLY CLEANS



REDUCES INDOOR ODORS

## A UNIQUE fusion of active and passive air purification technologies.

### BIPOLAR IONIZATION

Ionization brushes create a plasma of negative and positive charges to remove particles from your breathing space.


### PHOTOCATALYTIC OXIDATION

Using a broad-spectrum UV light and moisture in the air, active oxidation products are created to seek out and inactivate pathogens at the source.

### HEPA FILTER WITH ODOGARD® COATING

Traps and destroys odors along with allergens and other particulates.

Active HEPA+ ODOGard® is the only air purifier on the market that uses proprietary ODOGard technology to quickly and permanently eliminate odors by bonding to odor molecules.



150  
CADR

230  
SQUARE FT

99.98%  
PATHOGEN REDUCTION

≥0.25  
MICRONS

10.6" x 10.6" x 17.5"  
UNIT DIMENSIONS

11.5 lb  
UNIT WEIGHT

## Greentech Connect App for Mobile Control Included

Greentech Connect gives you control of your Greentech products from anywhere. Set ideal purification levels, put in NIGHT MODE, or get up-to-date information such as current settings, air quality reading, room temperature and humidity, component lifetime and more.



# pureAir 3000 **MERV+** without Ozone



**3000 MERV+** without Ozone  
Active Air Purifier with ODOGard®

We measure success in microns.

**The 3000 MERV+** transforms your space into a continuously fresh and clean environment, removing airborne pollutants and significantly reducing odors without the need for ozone.

## What's in the Plus?

Only pureAir has the filters with the plus. Our MERV-rated pleated filters are treated with ODOGard® coating traps and inactivates pathogens and allergens. ODOGard instantly bonds to odor molecules, completely clearing rooms of odors in under 10 minutes.

\*Laboratory tests prove to inactivate over 99.98% of SARS-CoV-2 in the air within 10 air exchanges in a controlled environment.

# Benefits of pureAir 3000 MERV+ without Ozone



Adjustable Purification



Reduces Odors from Smoke and More



Neutralizes Tough Odors



Reduce Allergens from Your Breathing Space



Ultra Quiet Five Speed Fan



MERV Filtration

## Deactivates 99.98% of SARS-CoV-2



Using a powerful fusion of technologies including photocatalytic oxidation, unipolar ionization, and ODOGard®-coated MERV filtration, the 3000 MERV+ has proven to be effective in reducing volatile organic compounds (VOCs), allergens such as pet dander and dust, and odors caused by mold, bacteria and other pollutants.



Unlike passive filters that affect only air that passes through them, 3000 MERV+ projects purifying solutions to the sources of pollution inside your home, continuously removing odors and airborne particles. Add to that the ODOGard-coated MERV filters, and you have a combination of technologies that have tested to be one of the most effective products in the industry.

**Best of all, the 3000 MERV+ is proven to deactivate 99.98% of SARS-CoV-2, the virus that causes Covid-19, from the air.\***

## Features and Specifications

### UNIT

- Model: 3000 MERV + without Ozone
- Dimensions: 12.25" H x 8.88" W x 10.75" D
- Metric: 31.12cm H x 22.55cm W x 27.31cm D
- Weight: 11 lbs (5kg)
- Warranty: 1 Year Manufacturer's Warranty

### POWER

- Power Input: 100-240 VAC 50/60Hz 2.5A Power
- Usage: 22 Watts (Normal) 38 Watts (High)

### PACKAGING

- Dimensions: 16.54" H x 13.39" W x 11.62" D
- Metric: 420mm H x 340mm W x 295mm D
- \* Weight: 11.47 lb (5.2kg)

### TECHNOLOGIES

- Photocatalytic Oxidation (PCO)
- Unipolar Ionization
- ODOGard-coated MERV Filtration

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.
- 2 DO NOT Adjust the Square Footage Setting to Exceed the Square Footage of the Space Being Treated.

# pureAir 3000 **MERV+**

with Ozone On Demand



pureAir **3000 MERV+** with Ozone On Demand  
Active Air Purifier with ODOGard®

## Inactivates Indoor Pathogens

**The pureAir 3000 MERV+ with Ozone On Demand** transforms your space into a continuously fresh and clean environment, removing airborne pollutants and significantly reducing odors with a deep-cleaning ozone mode.

## What's in the Plus?

Only pureAir has the filters with the plus. Our MERV-rated pleated filters are treated with ODOGard® coating traps and inactivates pathogens and allergens. ODOGard instantly bonds to odor molecules, completely clearing rooms of odors in under 10 minutes.

\*Laboratory tests prove to inactivate over 99.98% of SARS-CoV-2 in the air within 10 air exchanges in a controlled environment.

# Benefits of pureAir 3000+



Adjustable Purification



Reduces Odors from Smoke and More



Neutralizes Tough Odors



Reduce Allergens from Your Breathing Space



Ultra Quiet Five Speed Fan



MERV Filtration

## Effectively Reduces VOCs



Using a powerful fusion of technologies including photocatalytic oxidation, unipolar ionization, and ODOGard®-coated MERV filtration, the pureAir 3000 MERV+ with Ozone on Demand has proven to be effective in reducing volatile organic compounds (VOCs), allergens such as pet dander and dust, and odors caused by mold, bacteria and other pollutants.



Unlike passive filters that affect only air that passes through them, pureAir 3000 MERV+ with Ozone on Demand projects purifying solutions to the sources of pollution inside your home, continuously removing odors and airborne particles. Set your desired level of cleaning for while you are home or run a deep clean while you are away and come home to pure freshness!

**Best of all, the 3000 MERV+ with Ozone on Demand is proven to deactivate 99.98% of SARS-CoV-2, the virus that causes Covid-19, from the air.\***

## Features and Specifications

### UNIT

- Model: pureAir 3000 MERV + O3
- Dimensions: 12.25" H x 8.88" W x 10.75" D
- Metric: 31.12cm H x 22.55cm W x 27.31cm D
- Weight: 11 lbs (5kg)
- Warranty: 1 Year Manufacturer's Warranty

### POWER

- Power Input: 100-240 VAC 50/60Hz 2.5A Power
- Usage: 22 Watts (Normal) 38 Watts (High)

### PACKAGING

- Dimensions: 16.54" H x 13.39" W (340mm) x 11.62" D
- Metric: 420mm H x 340mm W x 295mm D
- \* Weight: 11.47 lb (5.2kg)

### TECHNOLOGIES

- Photocatalytic Oxidation (PCO)
- Unipolar Ionization
- Activated oxygen (ozone)
- ODOGard-coated MERV Filtration

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.
- 2 DO NOT Adjust the Square Footage Setting to Exceed the Square Footage of the Space Being Treated.
- 3 DO NOT Use AWAY MODE in Spaces Occupied by Human Beings or Pets. Allow 2 Hours Following Treatment in AWAY MODE Prior to Re-Entering.



pureAir

# 3000 CLASSIC



## pureAir 3000 CLASSIC

Advanced Technology Air Purification

## Inactivates Indoor Pathogens

The **pureAir 3000 Classic** transforms your space into a continuously fresh and clean environment, removing airborne pollutants and significantly reducing odors with a deep-cleaning ozone mode.

A **small, sleek design** makes it an elegant addition to any space, and a convenient remote control allows for simple purification level adjustment. Ideal for homes or offices up to 3,000 ft<sup>2</sup>.\*

\*Based on average ceiling height of 8.5' and open floor plan and/or adjoining rooms for single level dwelling.

# Benefits of pureAir 3000 CLASSIC



Adjustable Purification



Reduces Odors from Smoke and More



Neutralizes Tough Odors



Reduce Allergens from Your Breathing Space



Ultra Quiet Five Speed Fan



Washable Rear Filters

## Advanced Technology Air Purification



Using advanced technologies including photocatalytic oxidation, activated oxygen (ozone), and unipolar ionization, pureAir 3000 significantly reduces odors caused by bacteria, mold and mildew, as well as other odors including those from pets, cooking, and smoking.



Unlike passive filters that affect only air that passes through them, pureAir 3000 projects purifying solutions to the sources of pollution inside your home, continuously removing odors and airborne particles. Set your desired level of cleaning for while you are home or run a deep clean while you are away and come home to pure freshness!

## Features and Specifications

### UNIT

- Model: pureAir 3000 MERV + O3
- Dimensions: 12.25" H x 8.88" W x 10.75" D
- Metric: 31.12cm H x 22.55cm W x 27.31cm D
- Weight: 11 lbs (5kg)
- Warranty: 1 Year Manufacturer's Warranty

### POWER

- Power Input: 100-240 VAC 50/60Hz 2.5A
- Power Output: 15V DC / 3A
- Usage: 22 Watts (Normal) 38 Watts (High)

### PACKAGING

- UPC: 855819003274
- Dimensions: 16.54" H x 13.39" W x 11.62" D
- Metric: 420mm H x 340mm W x 295mm D
- \* Weight: 11.47 lb (5.2kg)

### TECHNOLOGIES

- Photocatalytic Oxidation (PCO)
- Unipolar Ionization
- Activated oxygen (ozone)
- Electrostatic Filtration

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.
- 2 DO NOT Adjust the Square Footage Setting to Exceed the Square Footage of the Space Being Treated.
- 3 DO NOT Use AWAY MODE in Spaces Occupied by Human Beings or Pets. Allow 2 Hours Following Treatment in AWAY MODE Prior to Re-Entering.

TRANSFORMING AIR PURIFICATION

**750+**  
wall mount



SEEKS, CAPTURES AND



**inactivates  
indoor  
pathogens.**

CHANGE IS IN THE AIR.

**Greentech** 750+ wall mount

Active Air Purifier with PCO & ODOGard® Technology

We measure success in microns.

**Applications:**

Workshops • Offices • Schools  
Day Care Facilities • Nursing Homes • Nail  
Salons • Veterinary Clinics • Motor Coaches  
Public Restrooms

- Active Air Purification
- No Ductwork Required
- Easily Mounts to Wall
- 24/7 Odor and Particulate Reduction
- Replaceable PCO Cell and MERV+ Filter

# Benefits of Greentech's 750+ Wall Mount



Continuous Purification



Reduces Odors



Mounts to Save Space



Sized for Multiple Locations



Wide List of Applications

## Active Oxidation Improves Air Quality



Providing continuous air purification, this permanently mounted unit is perfect for spaces without HVAC duct access. Greentech's 750+ Wall Mount features the same active air purification technology developed and used by NASA.



Photocatalytic oxidation (PCO) technology uses energy to activate a catalyst, turning moisture into products that continuously clean your space.



AOPs are propelled out into your space to hunt down particulates, even the very small ones. At the same time, negative ions go out and charge particles such as dust, pollen and pet dander, causing them to drop out of your breathing space.



Our MERV+ filters have an ODOGard® coating that eliminates odors at the molecular level, making it impossible for the odor to survive. Even the toughest, seemingly permanent odors don't stand a chance against ODOGard.

## Features and Specifications

### UNIT

- Models: Greentech SIREN 750+ Wall Mount IX5789  
Greentech 750+ Wall Mount NO3 (no ozone) IX5821
- Dimensions: 11.92" H x 9.72" W x 3.64" D
- Metric: 303mm H x 247mm W x 93mm D
- Weight: 3.3lbs (1.5kg)
- Materials: Powder Coated Aluminum
- Unit Warranty: 2 Year Manufacturer's Warranty

### PERFORMANCE

- Airflow: 70 CFM
- Optional Ozone Output: < 0.05 ppm
- Coverage: up to 750 ft<sup>2</sup>

### POWER

- Input Voltage: 24VDC
- Operating Voltage 24VDC
- Supply Power: 120-240VAC | 17W
- Operating Power: 24VDC | .67A

### TECHNOLOGIES

- PCO: Photocatalytic Oxidation
- ODOGard® Coated MERV+ Filter
- Bipolar Ionization Module (BPI)
- Activated Oxygen (Ozone) - Optional

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.

TRANSFORMING AIR PURIFICATION

**750+**  
mobile



**Greentech** 750+ mobile  
Purification for Transportation

We measure success in microns.

Providing continuous air purification,  
this mountable unit is perfect for vehicles.

# Benefits of Greentech's 750+ Mobile



Continuous Purification



Reduces Odors



Mounts to Save Space



Sized for Multiple Locations



Wide List of Applications

## Air Purification for Transportation



Providing continuous air purification, this permanently mounted unit is perfect for spaces without HVAC duct access. Greentech's 750+ Mobile features the same active air purification technology developed and used by NASA.



Our MERV+ filters have an ODOGard® coating that eliminates odors at the molecular level, making it impossible for the odor to survive. Even the toughest, seemingly permanent odors don't stand a chance against ODOGard.



Proprietary photocatalytic oxidation (PCO) technology uses energy to activate a catalyst, turning moisture into products that continuously clean your space.



Bipolar Ionization creates a plasma of electrical charges which removes allergens and other pathogens from the breathing space.

## Features and Specifications

### UNIT

- Dimensions: 10.25" H x 7.75" W x 3.00" D
- Metric: 260mm H x 197mm W x 76.2mm D
- Weight: 2.8lbs (1.27kg)
- Materials: Powder Coated Aluminum
- Warranty: 2 Year Manufacturer's Warranty

### PERFORMANCE

- Airflow: 70 CFM
- Ozone Output (optional): < 0.05 ppm
- Coverage: 750 ft<sup>2</sup>

### POWER

- Supply Power: 9-36VDC | 15W
- Operating Voltage: 24VDC | 0.56A



### TECHNOLOGIES

- PCO: Photocatalytic Oxidation
- ODOGard® Coated MERV+ Filter
- Bipolar Ionization Module (BIP)
- Activated Oxygen (Ozone) - Optional

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.

TRANSFORMING AIR PURIFICATION

# SOLO



SEEKS, CAPTURES AND  


**inactivates  
indoor  
pathogens.**

CHANGE IS IN THE AIR.

**Greentech SOLO**  
Personal Space Purification

We measure success in microns.

**Greentech SOLO** is a sleek, wearable air purifier that creates a personal breathing zone by repelling particles from your breathing space.

Using ion-based active air technology, **Greentech SOLO** creates a 3 ft. clean-air zone, or bubble, reducing your exposure to dust, pet dander, and other allergens.

# Benefits of Greentech's SOLO



Breathe Clean Air  
on the Go



Ultra Light and  
Wearable



Minimal  
Upkeep



3ft  
Self Created  
Personal Space



Silent Fanless  
Ionization

## All Day Purification

Greentech **SOLO** delivers all-day purification with a rechargeable battery providing over 24 hours of use per charge. It includes a USB charging cable and a breakaway neck cord for comfort and convenience.



## Features and Specifications

### UNIT

- Dimensions: 2.95" H x 1.94" W x .67" D
- Metric: 75mm H x 49mm W x 17mm D
- Weight: 2.22 oz (64g)
- Accessories: Breakaway Neck Lanyard (may differ from image)
- Warranty: 1 Year Manufacturer's Warranty

### POWER

- Power Source: Rechargeable Lithium Battery
- Power Usage: 0.2 W
- Battery Life: 28 Hours Operating Time
- Charge Time: 3-5 Hours (Micro USB)

### TECHNOLOGIES

- Solid Platinum Permanent Emitter and Gold Plated Stainless Steel Collectors
- Ion Density: 50 Million Ions/cc

### PACKAGING

- Dimensions: 1.6" H x 3.1" W x 4.1" D
- Metric: 40.6mm H x 78.7mm W x 104mm D
- Weight: 4.6 oz (130.4g)

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.



# pureAir HVAC



## pureAir HVAC In-Duct Air Purification

## Inactivates Indoor Pathogens

### Applications:

- Homes • Day Care Facilities
- Veterinary Clinics • Offices
- Nursing Homes • Distribution Centers
- Schools • Hospitals

- Active Air Purification; Easy to Install
- Distributes Purification Evenly Throughout the Environment Using Ducts
- Keeps Duct Systems Fresh
- 24/7 Reduction of Odors and Particulates in the Air
- LED Function Lights Confirm Operation

# Benefits of pureAir HVAC



Continuous Air Purification



Reduces Odors



Minimal Maintenance



Constantly Cleans Duct System



Distributes Oxidation Evenly



Ideal for Most Indoor Spaces

## Active Oxidation Improves Air Quality



Installed into your existing ductwork, pureAir HVAC features the same purification technology developed and used by NASA.



Bipolar Ionization creates a plasma of electrical charges, ionization removes allergens and other pathogens from the breathing space.



Photocatalytic oxidation (PCO) technology uses energy to activate a catalyst, turning moisture into products that continuously clean your space.



With a reactive surface area 16x greater than the competition - PCO continuously purifies your space. The result is the reduction of allergens from pets, pollen, and smoke, as well as odors from mold, mildew and more

## Features and Specifications

### Technology

- Photocatalytic Oxidation
- Optional Bipolar Ionization

Model	5" Cell	9" Cell	14" Cell	Dual 14" Cell
HVAC System	2 - 2.5 tons	3 - 3.5 tons	5+ tons	10+ tons
Supply Power	100-240VAC / 13 W	100-240VAC / 18 W	100-240VAC / 28 W	120-240VAC / 43W
Operating Power	24VDC / 0.45A	24VDC / 0.70A	24VDC / 1.05A	120 VAC / 0.35A
Dimensions (HxWxD)	9.75" x 9.75" x 9.75"	9.75" x 9.75" x 13"	9.75" x 9.75" x 18.75"	9.8" x 11.3" x 18"
Weight	2.5 lb	2.8 lb	3 lb	4.5 lb

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.

**TRANSFORMING AIR PURIFICATION**

# PTAC



SEEKS, CAPTURES AND



**inactivates  
indoor  
pathogens.**

CHANGE IS IN THE AIR.

## Greentech PTAC

Internal Mount Air Purification

We measure success in microns.

### FEATURES

- Active Air Purification
- Purifies Evenly Throughout the Space
- 24/7 Odor and Particulate Reduction
- Tall and Short Size Options Available

### APPLICATIONS

- Elevators
- Offices
- Schools
- Day Care Facilities
- Nursing Homes
- Beauty Salons
- Veterinary Clinics
- Public Restrooms
- Hotels and Motels

# Benefits of Greentech's PTAC



Sized for Multiple Locations



Reduces Odors and VOCs



Mounts to Save Space



Wide List of Applications

## Internal Mount Air Purification



Providing continuous air purification, this permanently mounted unit is perfect for spaces with PTAC units or limited HVAC ductwork access. PTAC features the same active air purification technology developed and used by NASA.



AOPs are propelled out into your space to hunt down particulates, even the very small ones. At the same time, negative ions charge particles such as dust, pollen and pet dander, causing them to drop out of your breathing space.



Active Radiant Catalysis (ARC®), our proprietary photocatalytic oxidation (PCO) technology uses energy to activate a catalyst, turning moisture into products that continuously clean your space.



With a reactive surface area more than 16x greater than the competition, Greentech's PTAC continuously purifies your space. The result is the reduction of allergens from pets, pollen, and smoke, as well as odors from mold, mildew, and more.

## Features and Specifications

### UNIT

#### PTAC Tall

- Dimensions: 2.438" H x 2.063" W x 10.375" D
- Metric: 61.92mm H x 52.40mm W x 263.52mm D
- Weight: 1 lb (453.6g)
- Warranty: 1 Year Manufacturer's Warranty

#### PTAC Short

- Dimensions: 1.25" H x 2.063" W x 10.375" D
- Metric: 31.75mm H x 52.40mm W x 263.52mm D
- Weight: 1 lb (453.6g)
- Warranty: 1 Year Manufacturer's Warranty

### POWER

- Input Voltage: 100 -240VAC
- Operating Voltage: 12VDC
- Operating Wattage: 12.9W
- Operating Amperage: .53A

### PERFORMANCE

- Airflow: External Source Required
- Ozone Output: < 0.05 ppm
- Coverage: Up to 270 ft<sup>2</sup>

### TECHNOLOGY

- Active Radiant Catalysis (ARC ) - Our Proprietary Form of Photocatalytic Oxidation

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.

pureAir  
**OverWATCH**



pureAir **OverWATCH**

Photocatalytic Oxidation (PCO) Technology

## Inactivates Indoor Pathogens

**OverWATCH** provides continuous purification for all types of large commercial spaces. Our proprietary photocatalytic oxidation (PCO) technology uses energy to activate a catalyst, turning moisture into products that continuously clean your space.

# Benefits of pureAir OverWATCH



Continuously Fresh Environment



Reduces Smoke, Food, and Pet Odor



Portable or Installed



Treats Large Occupied Spaces



Water-Resistant Option

## STAINLESS STEEL UNIT

The optional stainless steel casing allows for water-resistant use in spaces where water washing and rinsing is required. Recommended for food processing facilities, food warehouses & storage facilities. OverWATCH can be used to maintain a cleaner environment for meats, fruits, vegetables, flowers, and more!

## ROLL-AROUND UNIT

With exceptional portability and a sleek aluminum case, the roll-around floor model also reduces odors in the air as well as those embedded in rugs and upholstery from sources such as pets, mold, and smoke. Recommended for remediation in large spaces such as hospitals, nursing homes, clinics, veterinary offices, schools, daycare facilities, gyms, locker rooms, athletic training facilities, restaurants, cafeterias, and more!

## COATED ALUMINUM UNIT

The powder coated aluminum casing allows for water-resistant use and easy maintenance. Easy to install suspended from the facility ceiling. Recommended for food processing facilities, food warehouses and storage facilities, as well as greenhouses, OVERWATCH can be used to maintain a cleaner environment for meats, fruits, vegetables, flowers, and more!

## BENEFITS

- Active Air Purification in both portable and easy to install options
- Distributes Purification Evenly Throughout the Environment
- 24/7 Reduces Allergens & Particulates in Air

## TECHNOLOGIES

- (PCO) - Photocatalytic Oxidation

## APPLICATIONS

- Warehouses
- Grow Houses
- Athletic Facilities
- Nursing Homes
- Distribution Centers
- Food Processing and Storage

## Features and Specifications

MODEL	COATED ALUMINUM	ROLL-A-ROUND	STAINLESS STEEL
Coverage (square ft)	10,000 ft <sup>2</sup>	10,000 ft <sup>2</sup>	10,000 ft <sup>2</sup>
Coverage (cubic ft)	160,000 ft <sup>3</sup>	160,000 ft <sup>3</sup>	160,000 ft <sup>3</sup>
Supply Power	115VAC / 143W 230VAC / 143W	115VAC / 300W 230VAC / 300W	115VAC / 300W 230VAC / 300W
Operating Power	115VAC / 1.30A 230VAC / 0.65A	115VAC / 2.4A 230VAC / 1.2A	115VAC / 2.4A 230VAC / 1.2A
Dimensions (H x W x D)	25.0" x 26.5" x 23.5"	20.6" x 24" x 18.6"	25.0" x 26.5" x 23.5"
Weight	39 lb	41 lb	80 lb

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.

pureAir

OMNI



pureAir **OMNI**  
Commercial Air Purification

## Inactivates Indoor Pathogens

pureAir OMNI is the next generation in air purification designed to reduce odors caused by bacteria, mold, and mildew throughout the indoor environment.

# Benefits of pureAir OMNI



Continuous Purification



Reduces Odors and VOCs



Mounts to Save Space



Prolongs Food Shelf Life

## Commercial Air Purification System



The purification technology in OMNI can be used in food processing, food preparation, food and ice storage, and food transportation. By purifying food contact spaces, pureAir OMNI improves the quality of shelf-life of food products.



The odor reducing capability also makes pureAir OMNI a perfect choice for commercial refrigerators or any location in which odor reduction is needed. Unlike cover-up chemicals, pureAir OMNI breaks down the biological components thereby eliminating the odor. The result is a fresh smelling and clean environment.



## Features and Specifications

### UNIT

- Dimensions: 18.5" H x 6.30" W x 4.40" D
- Metric: 470mm H x 160mm W x 112mm D
- Weight: 4.2lbs (1.9kg)
- Materials: Powder Coated Aluminum / Stainless Steel
- Warranty: 2 Year Manufacturer's Warranty

### PERFORMANCE

- Ozone Output: <0.05 ppm
- Coverage: 8000 ft<sup>3</sup> or 1000 ft<sup>2</sup>
- Airflow: 10 CFM (grill application), 3CFM (Ported application)

### POWER

- Input Voltage: 100-240 VAC 50/60Hz
- Operating Voltage: 12VDC
- Operating Wattage: 10.9W
- Operating Amperage: .91A

### PACKAGING

- Dimensions: 21.0" H x 7.25" W x 5.25" D
- Metric: 533mm H x 184mm W x 133mm D
- Weight: 4.7bs (2.13kg)

## To Use This Product Correctly

- 1 Read All Instructions Carefully in User Manual Before Operating Purifier.